DATASHEET



OPER Remote control

KSI7700000.00X



DS - opera Rev.01

www.kseniasecurity.com

DATASHEET

INTRODUCTION

opera it is a remote control with a revolutionary design, both ergonomic and minimalist. Thanks to the bi-directional communication, **opera** is not limited to the possibility to activate up to 7 different scenarios, but also to deliver in any moment the system status (arm, away and stay) visualized by one of the 3 LEDs positioned on the upper part. The activation of any scenario is confirmed both visually (through the relevant LED) and by means of a vibra-motor device. The panic function could be also activated by a prolonged pressing of each of the 4 bottoms (or 7 Functions). The implementation of a complex encryption algorithm guarantees a superior Security level and contemporary allows the utilization of the same remote control's device even with different installations (e.g. main residence and sea cottage).

opera is available in the 4 Ksenia institutional colors, i.e. White, Red, Grey and Black.

TECHNICAL DATA

- Power: 1 Lithium Battery Type CR2032A included (up to 6 years max. duration time)
- Operational Frequency: 868 MHz Band
- Operation Range (open-air): up to 400 m
- Operative Temperature Range: from -5°C to +40° C
- Overall Dimensions: 30 x 58 x 15 mm (hxwxd)
- Vibration: adjustable duration and switch-off option for energy saving purposes

HOW TO ORDER

KSI7700000.310 - opera, different colors

PARTS INCLUDED

1 opera remote control 1 CR2032 battery 1 Lanyard 1 User Guide IT/EN/FR



DATASHEET

ACCESSORIES

KSI7203002.000 - Button battery CR2032 (200 pcs per pack)

CERTIFICATIONS

EN50131 Grade 3 - Class II T014A:2013



ENVIRONMENT PROTECTION

opera has been designed and manufactured with the following features to reduce environmental impact:

- PVC-free
- Halogen-free laminates and printed circuits unleaded
- low absorption
- Packing made for the most part with recycled fibers and materials from renewable sources

